

TNK500

— By Alegre Design —



Intensive Certificate



reddot design award
winner 2012



1 SYNCHRO MECHANISM

The synchronised tilt system offers the possibility of adjusting the maximum angle of inclination of the backrest in 4 positions. The user determines the maximum tilting point, which can be locked in the upright position. At the same time, the tension adjustable offers the possibility to apply strength between 50-120ks to the back in a quick and efficient way.

By operating the handle (A) in one of its four possible positions the maximum tilt angle is determined and turning handle B in one of the positions, it will provide more or less tension to the back




Synchron lockable at 4 positions



Tension Control Knob

2 AIR COMFORT SYSTEM


The seat foam has been designed with air chambers, that absorb pressure and decompress the foam in an adaptive and responsive way. This improves comfort, flexibility and provides for better pressure distribution



ACS

3 FLEXIBLE SHEETS



Ergonomically designed the seat is fully fitted with flexible sheets in the front and back that force the user to sit correctly thus, reducing tension in the muscles



Flexible sheets

4 360° SWING SEAT

The 360° oscillation system makes the seat accompany the movement of the user to any gesture or change of position. This system gives the negative seat angle a dynamic work position, bringing the back to a maximum ergonomic position.




360° swing seat

5 SEAT HEIGHT ADJUSTMENT

Seat height adjustment is controlled with a gas lift. The mechanism is activated by pressing handle (C) which is under the seat on the right hand side (sitting in the chair).



Seat Height Adjustment



Maximum and minimum seat heights


6 SLIDING SEAT

TNK 500 has a ratchet mechanism that enables locking in 5 positions with a total movement range of 50 mm.

The mechanism is operated by pressing up the lever (D) located on the right side under the seat. The system includes an auto-return mechanism to return the seat to the back position when standing up while pulling the lever out.



Sliding seat lever




5 different positions

7 LUMBAR ADJUSTMENT AND HEADREST

LUMBAR SUPPORT (mod. with technical fabric back)

TNK 500 has a lumbar support adjustment, which is activated by moving the control in the back of the chair, up or down (E). The elastic mesh of the back is automatically adapted to each user releasing pressure in those points.



HEADREST (only for models with fabric seat and back)

Any TNK 500 model can be complemented with a headrest made of flexible foam 40kg/m³, (39,5 x 21 cm) upholstered in different finishes.




8 ADJUSTABLE ARMS

Height adjustment: adjustable using the knob under the arm-rest (F), offering 7 height positions.




Height adjustable arm

360° Swivel arm system (Anti-panic): 360° pivoting system allows the arm rest to turn horizontally. It includes an easy and comfortable system to lock the movement in a 0° and 180° position.




360° Swivel arm movement allowing horizontal rotation of arm rests. Rotation functions:

- Anti panic solution.
- Obtaining alternative position to approximate the chair to the work surface.



9 SELF RETURN AUTO LIFT CYLINDER (OPTIONAL)


The self-return, auto-lift cylinder swivels 360 degree in both directions, height adjustable when seated and returns the seat automatically to the original position when vacated. The direction and height of the chair are always the same when vacated.



1 A correct posture at work to avoid physical problems


Seat adjustment.

Forearms must be parallel to the desk top as in a right angle with the rest of the arm. Both feet must be lean on the floor and knees must be in right angle too.




Lumbar Support Adjustment

Adjust the Lumbar support height to get the back totally rested and the weight totally supported.



Adjustable arms (5 positions)

Place the chair arms in the lower position to get better mobility. For statics works, adjust height and distance to that point where the forearms perfectly lean.




2 Different ergonomics conditions and specific mobility for each task

It is necessary to alternate daily dynamic and static tasks.

Dynamic tasks.

Document manipulation, communication and so on...Free the synchro mechanism and adjust weight and height. Place armrests in the lower position.

Dynamic tasks.



Static work



Document analysis and writing, intensive computer work... Blocked synchro mechanism and use armrests properly.



3 Incorrect Postures

Key points.


1. A lower position from the desk produces neck pain.
2. An incorrect back support produces lumbar problems.
3. Legs too stretched or too vended causes body joints over-stressed.




UPHOLSTERED BACK AND SEAT

■ BACK AND SEAT

Fabric T - Newport



Fabric M - Melang & Step



Fabric D - Felicity



Fabric N - Portus B



Fabric P - Savana




Fabric A - Synergy



TEX BACKREST

■ BACKREST AND SEAT


Fabric T - Newport



Fabric D - Felicity




Fabric M - Melang & Step




TECHNICAL MESH BACK REST

■ SEAT

Fabric T - Newport



Fabric M - Melang & Step




Fabric D - Felicity



■ BACK

Fabric R - Rhythm



Fabric String




Fabric N - Portus B



Fabric A - Synergy



Fabric R - Rhythm



Fabric H - Harlequin



Fabric Q - Spin



Fabric H - Harlequin



DESCRIPTION

Back rest with aluminium frame, elastic technical mesh composed of 64% polyester and 36% polyamide. Breathable.

Seat with ACS technology, flexible sheets and 360° swing system which allows dynamic negative angle. Moulded flexible foam PU flexible (55-60kg/m³). Upholstered with easy clean fabrics. Height adjustable seat via gas lift. Depth seat adjustment seat (50 mm). Moulded aluminium 5 star swivel base Polyamide (PA6) castors and soft band TPU.

Optional: antistatic castors, soft hole control castors or auto-braking castors.

BACK

(SEE FINISHES AND FABRIC CARD PAGE 05)

SEAT

(SEE FINISHES AND FABRIC CARD PAGE 05)

BASES AND CASTORS



Silver aluminium base - Ø 67,5 cm
Black anti-skid castor - Ø 65 mm



White aluminium base - Ø 67,5 cm
Black anti-skid castor - Ø 65 mm



Black aluminium base - Ø 67,5 cm
Black anti-skid castor - Ø 65 mm



Polished aluminium base - Ø 67,5 cm
Black anti-skid castor - Ø 65 mm

SIZES

Total height: from 1005 to 1105 mm

Total width: 675 mm

Total depth: 675 mm

Seat height: from 420 to 530 mm

Seat width: 490 mm


Seat depth: from 400 to 450 mm

*Measures according to UNE-EN 1335-1



- ① Aluminium frame
- ② Technical mesh back rest.
- ③ **Optional** Lumbar support
- ④ Height adjustable arms and anti-panic system
- ⑤ ACS technology. Flexible sheets and 360° swing seat which allows dynamic negative angle.
- ⑥ Patented synchro-evolutive knee-tilt mechanism. 4 positions
- ⑦ Gas lift
- ⑧ Moulded aluminium 5 star base
- ⑨ Anti-skid castors polyamide (PA6), soft band TPU

SIZES





MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

59,79%
RECYCLED
MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER
FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

82,36%
RECYCLABLE
MATERIALS

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of
responsible forestry



PEFC Certificate



EN ISO 14006:2011
ECODESIGN Certificate



UNE-EN ISO 9001:2008
ISO 9001 Certificate



UNE-EN ISO 14001:2004
ISO 14001 Certificate



E1 Certificate
by EN 13986



ACTIU TECHNOLOGY PARK
LEED® PLATINUM certified by USGBC
Leadership in Energy & Environmental Design
LEED® Gold certified 2011 · LEED® Platinum certified 2017

STANDARDS

TNK 500 has passed tests done in our technical department as well as the tests done in **AIDIMA** the Technological Institute for furniture.

The tests correspond to:

Operative chairs standards applied since 2009

- **UNE-EN 1335-1:01.** Office Furniture. Office chair. Part 1: Dimensions.
- **UNE-EN 1335-2:09.** Office Furniture. Office Chair. Part 2: Security requirements
- **UNE-EN 1335-3:09.** Office Furniture. Office chair. Part 3: Security essays.